

KORBSTER

BY FOREST RIVER







A Berkshire Hathaway company.

FORESTER



Shown in Mink Decor



The Forest River Forester is proud to be the best value Class C vehicle in the market place.



Multi-Layered Laminated Roof System

- 1. Crowned Fiberglass Roof
- 2. Luan Decking
- 3. Block Foam Insulation
- 4. A/C Ducts
- 5. 1.5" Tubular Aluminum Framing
- 6. Interior Ceiling Material

2-Inch Vacuum-Bond Laminated Sidewalls

- 7. Decorative Interior Wall Board
- 8. 1.5" Tubular Aluminum Framing
- 9. EGS Metal Backers
- 10. Block Foam Insulation
- 11. Opening Framed In Aluminum
- 12. Superlite Composite Azdel
- 13. Gelcoat Fiberglass Exterior

Vacuum-Bond Laminated Floor System

- 14. Fiberglass Bottom Board
- **15.** Block Foam Insulation
- 16. Seamless Floor Decking
- 17. Beauflor Flooring (In Some Areas)
- 18. 1.5" Aluminum Framing



FORESTER

FLOORPLANS



2251S LE



2501 TS



OHC

STORAGE
OFF. TV

REFER

OPT. TV

REFER

OPT. TV

REFER

OPT. OUTSIDE TV

3171 DS




2291 S



2651 S




2301







OPTIONS











DECORS

MAPLE

CHERRY







| Forester Ford • Chevy Chassis | 2251 | 2291 | 2301 | 2501 | 2651 | 2701 | 2861 | 3011 | 3051 | 3171 | |
|-------------------------------|---------------------|---------------------|---------------------|---------------------|---------------|---------------|---------------------|---------------|---------------|---------------|--|
| Wheelbase | 158" • 159" | 158" • 159" | 158" • 159" | 182"• 183" | 193" • NA | 202" • NA | 202" • 203" | 220" • NA | 220" • NA | 220" • NA | |
| GVWR | 12500 • 14200 | 12500 • 14200 | 12500 • 14200 | 14500 • 14200 | 14500 • NA | 14500 • NA | 14500 • 14200 | 14500 • NA | 14500 • NA | 14500 • NA | |
| GAWRR | 8500 • 9600 | 8500 • 9600 | 8500 • 9600 | 9600 • 9600 | 9600 • NA | 9600 • NA | 9600 • 9600 | 9600 • NA | 9600 • NA | 9600 • NA | |
| GAWRF | 4600 • 4600 | 4600 • 4600 | 4600 • 4600 | 5000 • 4600 | 5000 • NA | 5000 • NA | 5000 • 4600 | 5000 • NA | 5000 • NA | 5000 • NA | |
| UVW | 9660 • 9640 | 0 • 10452 | 9950 • 9890 | 11721 • 11500 | 11100 • NA | 11596 • NA | 12300 • 12400 | 12400 • NA | 12848 • NA | 12500 • NA | |
| GCWR | 18500 • 20000 | 18500 • 20000 | 18500 • 20000 | 22000 • 20000 | 22000 • NA | 22000 • NA | 22000 • 20000 | 22000 • NA | 22000 • NA | 22000 • NA | |
| CCC | 2840 • 4560 | 2500 • 3748 | 2550 • 4310 | 2779 • 2700 | 3400 • NA | 2904 • NA | 2200 • 1800 | 2100 • NA | 1652 • NA | 2000 • NA | |
| Fuel Capacity (Gal) | 55 • 57 | 55 • 57 | 55 • 57 | 55 • 57 | 55 • NA | 55 • NA | 55 • 57 | 55 • NA | 55 • NA | 55 • NA | |
| Hitch Rating | 5000/500 • 5000/500 | 5000/500 • 5000/500 | 5000/500 • 5000/500 | 7500/500 • 5000/500 | 7500/500 • NA | 7500/500 • NA | 7500/500 • 5000/500 | 7500/500 • NA | 7500/500 • NA | 7500/500 • NA | |
| Length - Bumper To Bumper | 23'-10" • 24'-4" | 24'-6" • 25' | 24'-6" • 25' | 26'-11" • 27-5" | 28'-4" • NA | 28'-1" • NA | 30'-9" • 31'-3" | 32′-3″ • NA | 31′-11″ • NA | 32′-3″• NA | |
| Exterior Height With A/C | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | 11′-3″ | |
| Exterior Width | 101" | 101" | 101" | 101" | 101" | 101" | 101" | 101" | 101" | 101" | |
| Interior Width | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" | 95.5" | |
| Interior Height Frt/Rear | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" | 84"/77" | |
| Fresh/Grey/Black Water (Gal) | 33.5/32/27 | 44/39/39 | 44/39/39 | 44/39/39 | 44/28/28 | 44/39/39 | 44/39/39 | 44/39/39 | 44/39/39 | 44/39/39 | |
| L.P. Capacity (Gal) | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | 9.8 | |
| Awning Length | 14′ | 15′-6″ | 15′-6″ | 18′ | 12′-6″ | 12′-6″ | 16′ | 15′-6″ | 18′ | 11′ | |
| Water Heater (Gal) | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| Exterior Storage (Cu. Ft.) | 32 | 61 | 61 | 50 | 110.4 | 47 | 62.5 | 101.7 | 81.8 | 80 | |

PAINT OPTIONS

STANDARD Exterior (Painted skirt N/A on 2251S LE)



INDIGO Full body paint



CLAY Full body paint



GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail. GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory, It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs. per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more

*Estimated Average based on standard build optional equipment. ** Estimated average based on standard build optional equipment.

Estimated wereago as constrained and using opticities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.


FORESTER





MERCEDES BENZ SERIES

The quality you've come to expect, paired with a fuel efficient diesel platform.



MBS 2401 R

MBS 2401 S

MBS 2401 W

Shown in Taupe Decor

NEW! Optional Trekker Low Profile Fiberglass front cap with built-in entertainment center IPO overhead bunk mat.





OPT. RECLINERS 2401R



OPT. SOFA 2401R, 2401S

BlueTec Diesel Engine


BlueTec SCR Technology is one of the world's cleanest diesel engines, delivering more power, while producing fewer emissions. The 3.0l V-6 engine boasts 188 hp and 325 lb-ft of rated torque.

| Forester MBS | 2401R | 24015 | 2401W | | |
|------------------------------|----------|----------|----------|--|--|
| Wheelbase | 170.3 | 170.3 | 170.3 | | |
| GVWR | 11030 | 11030 | 11030 | | |
| GAWRR | 7720 | 7720 | 7720 | | |
| GAWRF | 4080 | 4080 | 4080 | | |
| UVW | 9852 | 9700 | 9924 | | |
| GCWR | 15250 | 15250 | 15250 | | |
| CCC | 1178 | 1330 | 1106 | | |
| Fuel Capacity (Gal) | 26.4 | 26.4 | 26.4 | | |
| Hitch Rating | 4200/350 | 4200/350 | 4200/350 | | |
| Length - Bumper To Bumper | 24'-11" | 24'-8" | 24'-11" | | |
| Exterior Height With A/C | 11′-3″ | 11′-3″ | 11′-3″ | | |
| Exterior Width | 94.5" | 94.5" | 94.5" | | |
| Interior Width | 91" | 91″ | 91" | | |
| Interior Height Frt/Rear | 81"/74" | 81"/74" | 81" | | |
| Fresh/Grey/Black Water (Gal) | 35/30/30 | 35/33/33 | 35/32/32 | | |
| L.P. Capacity (Gal) | 9.8 | 9.8 | 9.8 | | |
| Awning Length | 16′ | 15'-6" | 16′ | | |
| Water Heater (Gal) | 6 | 6 | 6 | | |
| Exterior Storage (Cu. Ft.) | 75 | 67 | 50.3 | | |
| | | | | | |

Please see page 5 for chart definitions.



The streamlined GTS is the perfect vehicle for the ultimate getaway.







| | Showii iii Taape Deco | | | | |
|---|-----------------------|-----------|--|--|--|
| Forester GTS | 2431 | 2801 | | | |
| Wheelbase | 176" | 212" | | | |
| GVWR | 14500 | 14500 | | | |
| GAWRR | 9600 | 9600 | | | |
| GAWRF | 5000 | 5000 | | | |
| UVW | 10920 | 11596 | | | |
| GCWR | 22000 | 22000 | | | |
| CCC | 3580 | 2904 | | | |
| Fuel Capacity (Gal) | 55 | 55 | | | |
| Hitch Rating | 7500/500 | 7500/500 | | | |
| Length - Bumper to Bumper | 25'-9" | 30'-4" | | | |
| Exterior Height with A/C | 10'-8" | 10′-8″ | | | |
| Exterior Width | 97" | 97" | | | |
| Interior Width | 91" | 91" | | | |
| Interior Height Front/Rear | 81"/75.5" | 81"/75.5" | | | |
| Fresh Water (Gal) | 42/39/39 | 43/42/28 | | | |
| L.P. Capacity (Gal) | 9.8 | 9.8 | | | |
| Awning Length | 15'-6" | 18′ | | | |
| Water Heater (Gal) | 6 | 6 | | | |
| Exterior Storage (Cu. Ft.) | 37.8 | 73 | | | |
| Please see nage 5 for chart definitions | | | | | |

Please see page 5 for chart definitions.

OPT. RECLINERS 2801

STANDARD FEATURES AND OPTIONS

O: OPTION • S: STANDARD -: NOT APPLICABLE

| (BIL OF COLUMNS - REALINGS | | | | |
|--|----|-----|------|----------|
| WARRANTY | | GTS | | LE |
| 12 Months/12,000 mile basic limited warranty | S | S | S | S |
| Chassis warranty (see owners manual) | | | 1400 | |
| SYSTEMS | FR | _ | MBS | LE |
| Battery disconnect | S | S | S | <u>S</u> |
| Water heater bypass | S | S | S | S |
| (2) Deep cycle coach batteries | S | S | S | S |
| "Easy Access" battery in step-well | S | S | S | S |
| 30 Amp service with detachable cord | S | S | S | S |
| 60 Amp Progressive Dynamics Convertor | S | S | S | <u>S</u> |
| 6 Gallon DSI gas/electric water heater | S | S | S | <u>S</u> |
| 30,000 BTU furnace | S | S | S | <u>S</u> |
| Emergency start switch | S | S | _ | <u>S</u> |
| Satellite/cable connection | S | S | S | <u>S</u> |
| 13,500 BTU ceiling ducted roof air | S | S | S | <u>S</u> |
| 4.0 KW Onan Microquiet generator | S | S | _ | <u>S</u> |
| 3.6 KW Onan LP Generator | _ | _ | S | _ |
| Automatic generator transfer switch | S | S | S | S |
| Firestone Ride-Rite air helper springs | S | S | _ | |
| Hellwig sway bar | | _ | S | |
| Water filtration system | S | S | S | |
| Heated, enclosed holding tanks & valves | S | S | _ | |
| Arctic Package (12V tank heaters) | 0 | 0 | S | 0 |
| 15K BTU A/C with heat pump | 0 | 0 | 0 | |
| CO ₂ , LP and smoke detector | S | S | S | <u>S</u> |
| Jack digital antenna | S | S | S | <u>S</u> |
| EXTERIOR | FR | _ | MBS | LE |
| 2" Aluminum framed laminated sidewalls | S | S | _ | <u>S</u> |
| 1.5" Aluminum framed laminated sidewalls | _ | _ | S | |
| Azdel Superlight composite substrate | S | S | S | S |
| Gel Coat exterior fiberglass | S | S | S | <u>S</u> |
| Block foam insulation | S | S | S | <u>S</u> |
| Power patio awning with LED light strip | S | S | S | <u>S</u> |
| Slide-out awnings | S | S | S | <u> </u> |
| Fiberglass roof | S | S | S | <u>S</u> |
| One-piece fiberglass front cap | S | S | S | <u>S</u> |
| LED exterior lights | S | S | S | <u>S</u> |
| Exterior skirt paint | S | S | S | |
| Stainless steel wheel liners | S | S | S | <u>S</u> |
| Valve stem extensions | S | S | S | <u>S</u> |
| Roto-cast storage compartments | S | S | S | <u>S</u> |
| Driver side security light | S | S | S | |
| Aluminum running boards | _ | _ | _ | 0 |
| Fiberglass running boards | S | S | S | |
| 110V, GFI protected exterior receptacle | S | S | S | <u>S</u> |
| Tinted sliding windows | S | _ | _ | S |
| Tinted frameless windows | _ | S | S | |
| Heated, remote exterior mirrors | S | S | S | <u>S</u> |
| 7,500 Lbs. hitch, 7-pin connector (E450) | S | S | _ | <u>S</u> |
| 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) | S | S | _ | S |
| 4,200 Lbs. hitch, 7-pin connector | _ | _ | S | |
| Spare tire | S | S | S | |
| Roof ladder (N/A 2401R) | S | _ | S | S |
| Integrated entry step | S | S | _ | S |
| Power entry step | - | _ | S | _ |
| Outside shower | S | S | S | _ |
| Automatic leveling system (4-point) | 0 | 0 | _ | 0 |
| Stabilizer jacks (2-point) | - | _ | 0 | _ |
| Full body paint | 0 | 0 | 0 | |
| 32" Outside 12V TV with DVD and speakers | 0 | 0 | | |
| (2701DS, 3011DS, 3051S, 3171DS only) Exterior grill with quick connect (standard 2861DS) | 0 | 0 | 0 | |
| Black tank flush | 0 | 0 | 0 | _ |
| Diack tank Itusii | U | U | J | |

| CAB AREA | FR | _ | MBS | LE |
|--|----|--------|--------|--------|
| 7" Touch screen radio with USB and Bluetooth | S | S | S | S |
| Sirius tuner and antenna | S | S | S | S |
| Cab area privacy curtain | S | S | S | S |
| Ultra leather driver and passenger seats | 0 | 0 | S | _ |
| Power windows and door locks | S | S | S | S |
| Keyless entry (N/A Chevy) | S | S | S | S |
| Color back-up camera with rear view monitor | 0 | 0 | 0 | 0 |
| Side view cameras | 0 | 0 | 0 | _ |
| GPS navigation system | S | S | S | S |
| Wood grain dash | 0 | 0 | S | _ |
| Removable cab mat | _ | _ | S | _ |
| Swivel driver seat (N/A Chevy, Power) | 0 | 0 | S | _ |
| Power driver seat (Ford only) | 0 | 0 | _ S | _ |
| Swivel passenger seat (N/A Chevy) | FR | _ | _ | LE |
| KITCHEN | FK | GIS | MBS | |
| High-neck faucet | _ | _ S | _ S | S |
| High-neck faucet with pull out sprayer | S | S | | _ S |
| Recessed 3-burner range with flush glass cover | S | _ | S | |
| Range hood with fan and light | S | S | S | S |
| Oven IPO drawer | S | 0 | 0 | S |
| Microwave oven | | _ | _ | S |
| Convection microwave (Standard in 3051S) | 0 | S | S | _ |
| 6 Cu. ft. double door refrigerator | S | S | S | S |
| 12 Cu. ft. four door refrigerator with ice maker (2861DS, 3011DS, 3051S) | 0 | _ | _ | _ |
| Raised wood refrigerator panel (N/A 12 cu. ft.) | S | S | S | _ |
| Full extension ball bearing drawer guides | S | S | S | S |
| Flip-up countertop extension | S | S | S | S |
| Hidden hinges | S | S | S | _ |
| Solid surface galley | S | S | S | _ |
| BATHROOM | FR | GTS | MBS | LE |
| Lightweight composite toilet with hand sprayer | S | S | S | S |
| Glass shower door | S | S | _ | S |
| Lightweight Arcadia shower door | _ | _ | S | _ |
| Towel bar, tissue, toothbrush and soap holder | S | S | S | S |
| Electric roof fan | S | S | S | S |
| Shower head with flexible extension | S | S | S | S |
| Shower skylight | S | S | S | S |
| BEDROOM | FR | _ | MBS | LE |
| Upgraded memory foam mattress | S | S | S | S |
| Bedspread | S | S | S | S |
| Bedroom TV with DVD | 0 | 0 | 0 | _ |
| Cedar lined closet | S | S | S | _ |
| LIVING ROOM | FR | GTS | MBS | LE |
| Dream dinette (N/A with U-shape dinettes) | S | S | S | _ |
| Vinyl soft touch padded ceiling | S | S | S | _ |
| Visionary pull out sofa (60" x 74") (3011DS) | S | _ | _ | _ |
| 32" 12V Flat panel adjustable side TV | S | S | S | S |
| Cab over cabinets with 42" TV (IPO side TV) | 0 | _ | 0 | 0 |
| Cab over folding twin beds with 32" 12V TV (IPO side TV) | 0 | | _ | 0 |
| Black out roller shades | S | S | S | S |
| Surround sound | S | S | S | S |
| Child seat head tethers in dinette | S | S | S | _ |
| Maxx Air fan with rain/temp sensor and power dome | S | S | S | - |
| Glass recessed LED light fixtures | S | S | S | - |
| Dual recliners IPO Sofa (3011DS, 2801QS) | 0 | 0 | - | - |
| LED floor lighting | S | S | S | _ |
| 12V USB charging station | S | S | S | - |
| | | | | |



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- 1) Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- 2) Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectations!





Can this barcode using a QR Reader on your smart phone to learn more about Forest River



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision ©2016 Forester - a Division of Forest River, Inc. - a Berkshire Hathaway Company 4/16

For more information please visit: www.forestriverinc.com/forester 914 CR 1 • Elkhart. In 46514 574.262.2212 • 800.445.2825



Your Local Forester Dealer